

LEVEL II

(13)



TR-0095

AD

Reports Control Symbol
OSD - 1366

ADA107425

**THE EFFECT OF IONOSPHERIC VARIABILITY ON THE
ACCURACY OF HIGH FREQUENCY POSITION LOCATION**

AUGUST 1981

DTIC
ELECTE
NOV 16 1981
S B D

By
Melvin G. Heaps

DTIC FILE COPY

Approved for public release; distribution unlimited.



US Army Electronics Research and Development Command

Atmospheric Sciences Laboratory

White Sands Missile Range, NM 88002

41062
81 11 12 046

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ASL-TR-0095	2. GOVT ACCESSION NO. AD-A107425	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE EFFECT OF IONOSPHERIC VARIABILITY ON THE ACCURACY OF HIGH FREQUENCY POSITION LOCATION		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Melvin G. Heaps		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task No. 1L161102853A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research and Development Command Adelphi, MD 20783		12. REPORT DATE August 1981
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 22
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) High frequency Single-station locator Direction finding Ionospheric variability Position location Ionospheric irregularity		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The attainable accuracies in high frequency (HF) radio wave position location over ranges of several hundred kilometers are beset with errors of tens of kilometers due to constraints in three major areas: ionospheric variability and irregularity; system size limitations for easily fieldable systems; and sufficient data acquisition, processing, and interpretation. Of principal concern here is the area of ionospheric variability and irregularity.		

48066

1B

20. ABSTRACT (cont)

The temporal and spatial coherence of ionospheric structure has been considered with respect to its effect on the accuracy of HF position location. The findings show that medium and small-scale ionospheric structures most likely to affect HF position location accuracies have a spatial coherence on the order of 50 km and a temporal coherence on the order of 5 minutes. On this basis it is recommended that a multiple ionosonde net be used instead of a single ionosonde, such that an ionospheric sounding point is no more than 50 km from a potential radio wave reflection point, and that soundings be taken on the order of every 5 minutes or less.

CONTENTS

LIST OF FIGURES.....	4
LIST OF TABLES.....	4
INTRODUCTION.....	5
IONOSPHERIC STRUCTURE MOST AFFECTING RADIO SOURCE LOCATION ACCURACIES.....	6
SPATIAL AND TEMPORAL COHERENCE OF IONOSPHERIC IRREGULARITIES.....	12
DISCUSSION.....	17
CONCLUSION.....	20
REFERENCES.....	22

RE: ASL-TR-0095, Classified References,
Distribution Unlimited.
No change in distribution statement per
Mr. Buck Sims, ASL/DELAS-DM-A

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

LIST OF FIGURES

1. Incident angle, plotted as radial distance from the origin, versus azimuthal angle, plotted as the polar angle, for the return signal of a vertically incident ionosonde over a 50-minute interval.....	14
2. The altitude of the constant plasma frequency contour (i.e., signal reflection heights) versus time for a large-scale TID.....	14
3. The scatter plots of the radio source location errors using two ionospheric models for three transmitters at successively greater distances.....	15
4. Schematic of how to locate four ionosondes such that maximum ionospheric data over a large area can be gathered from both vertical and oblique sounding.....	21

LIST OF TABLES

1. Radio Wave Reflection Properties for the Undisturbed Ionosphere.....	8
2. Properties of Midlatitude Sporadic E.....	9
3. Traveling Ionospheric Disturbance.....	11
4. Magnitude of Errors in Position Location Accuracy Due to Errors in Angle of Arrival for E and F Region Layers.....	13
5. Decorrelation Properties of Ionospheric Structure.....	18

INTRODUCTION

High frequency (HF) radio wave propagation has long been the backbone of many short- and long-range communications networks. The reasons are straightforward: the technology is well established, the systems are relatively inexpensive and easily fieldable, and the reliability (while not perfect) is high enough to meet a large body of communication needs. Concomitantly, the interception of HF communications is one means of gaining additional intelligence. Taken an additional step, the interception of HF radio wave signals can also be used to locate the position of the transmitter, which knowledge may be of strategic and tactical value. The emphasis of this report is on the detection and location of HF radio sources over ranges of several hundreds of kilometers.

HF radio waves propagate in two modes: the ground wave, which propagates along the earth's surface, and the direct wave, which propagates through the atmosphere or free space. The ground wave can be detected out to distances on the order of 50 km, but the direct wave (which when reflected, or often refracted, from the ionosphere is known as the sky wave) can be detected out to very long distances. The radio source location techniques for a single-station locator entails measuring the angle of arrival of the signal of interest and determining the height of the ionospheric reflection point. The problem then consists of tracing the signal's path back through the ionosphere to the source, the accurate solution of which depends on a knowledge of the state of the ionosphere.

Currently, attainable accuracies in HF position location obtained by using a single-station locator still carry inherent errors of tens of kilometers or worse. These errors arise in three main areas: ionospheric variability and irregularity, locator system size limitations, and problems associated with data acquisition, processing, and interpretation. Of these areas, the ionosphere is the single largest source of error and is the principal concern here.

It is now generally agreed that real-time information on the state of the ionosphere is required for the optimum performance of a single-station radio source location system. Most often this information is acquired through a vertically incident ionospheric sounding made at that station. This procedure does yield real-time information on the height and tilt of the reflecting ionospheric layer at a single point, but this point is not the reflection point of the intercepted signal. It thus becomes important to quantify the spatial and temporal behavior of ionospheric structure and to estimate the spatial and temporal ranges within which ionospheric sounding information gathered at one point can be extrapolated to another point with minimal loss of position location accuracy.

The application addressed here is nominally that of a single-station locator which is tasked to locate the position of HF radio sources at ranges of more than a hundred but less than a thousand kilometers. At these ranges the intercepted signal has usually undergone only one reflection from the ionosphere. The next sections then outline the general properties of pertinent ionospheric irregularities and estimate the spatial and temporal coherence of

these irregularities. The final section addresses the usefulness of a single ionospheric sounding as opposed to multiple and spatially separated soundings.

IONOSPHERIC STRUCTURE MOST AFFECTING RADIO SOURCE LOCATION ACCURACIES

In principle, the location of an HF transmitter can be found by simply measuring the azimuthal and elevation angles of the incoming signal and determining the height of the ionospheric reflecting layer. In practice, several features of ionospheric structure distort the otherwise straightforward picture of a uniform, concentric, smoothly reflecting (and refracting) ionosphere. Three phenomena shall be singled out because of their effects on radio source location: multiple reflective layers (particularly sporadic E), ionospheric tilts, and traveling ionospheric disturbances (TID). Of these, TID are the most important.

The ionosphere is divided into several regions, some of which contain reflective layers. The D region is located below 90 km in altitude and serves mainly to absorb radio waves below frequencies of 1 to 2 MHz. At night the electron density in the D region decreases so that absorption of waves in the middle frequency band (0.3 to 3 MHz) is no longer a problem.¹ Solar flares can produce enhanced (daytime) D region absorption of the lower portion of HF band (often up to 6 to 8 MHz), and at high latitude particle precipitation, again often associated with solar disturbances, can cause absorption in the lower HF band both night and day. Such outages generally last minutes to hours, although some high latitude outages (polar cap absorption events) have lasted days.¹ The E region, nominally between 90 and 150 km, is the first truly reflecting layer for HF radio waves. Daytime electron densities in the E region are normally only high enough to produce reflection for signals below 2 to 5 MHz (vertical incidence). At night the E region electron densities are low enough that HF frequencies are not reflected. Solar flares can produce much higher (daytime) E region densities and hence reflection of HF signals of up to 8 to 10 MHz.¹ Sporadic E is a special disturbance within the E region and will be discussed in greater detail below. The F region often produces two reflective layers, the F₁ layer generally between 160 to 200 km and the F₂ layer more in the altitude range near 300 km. The F₁ region, like the D and E regions, is under solar control--absent at night and often not present during the day in winter months; it is enhanced during solar flares. The F₁ and F₂ regions, or simply the F region, are responsible for most of the HF radio wave reflection or, for oblique paths, refraction. The F region shows a day-night variation, although the upper (F₂) portion is also controlled by plasma motions which produce more complicated behavior, and has enhanced electron densities during disturbed solar conditions, including the general solar sunspot cycle peak.¹

The E and F regions are thus capable of producing different reflection heights for various HF frequencies depending on time of day and degree of solar activity. However, these problems are not the major ones in radio source location

¹H. Rishbeth and O. K. Garriot, 1969, Introduction to Ionospheric Physics, Academic Press, NY

because: (1) they occur periodically, usually daily, and can thus be anticipated and planned for, and (2) they are relatively homogeneous in spatial extent such that a single ionospheric sounding is representative of a very large area (hundreds to thousands of kilometers). Several charts, manuals, and prediction schemes which incorporate this general type of information on ionospheric behavior are available for HF frequency management. Table 1 gives a very brief synopsis of the points covered above.

In a generic sense, ionospheric tilts can refer to any deviation from the horizontal plane of the contours of constant electron density whether caused by large-scale phenomena such as solar ionization or by more transient, localized disturbances which will be discussed later. The effects of the tilts are errors in the estimation of the angle of arrival, principally in the elevation angle, and the misjudgment of the virtual height of the reflection point. For this report, ionospheric tilt shall refer to a tilt caused by the diurnally varying solar ionization rate in the F region. The effect is most noticeable at sunrise and sunset, and can thus be anticipated and accounted for.

The initial anomalous or irregular feature of the ionosphere is that of sporadic E. Sporadic E is a relatively thin layer of enhanced electron (and mainly positive metallic ion) concentration found most often between 100 and 110 km, although some layers are occasionally found as low as 92 km and higher than 120 km. Apparently, the concentration of ionization is due to wind shears in the neutral atmosphere which in turn may be a result of the propagation of acoustic-gravity waves through the E region.² Thus, sporadic E may be an E region manifestation of one type of traveling wave which also produces F region irregularities. (This phenomenon is true of the midlatitude sporadic E. Sporadic E-like occurrences are also found at low and high latitudes and are associated with the equatorial and polar electrojets. These occurrences are not considered further in this report.)³ The properties of midlatitude sporadic E are summarized in table 2, based on Smith^{4 5} and Peterson.⁶

The patchiness of sporadic E is somewhat a function of the radio frequency employed. Higher density patches of a few tens to hundreds of kilometers, as

²T. M. Georges, 1967, Ionospheric Effects of Atmospheric Waves, ESSA-TR-IER57-ISTA-54, US Government Printing Office, Washington, DC

³B. J. Fejer and M. C. Kelley, 1980, "Ionospheric Irregularities," Rev Geophys Space Phys, 18:401-454

⁴E. K. Smith Jr., 1957, World Wide Occurrence of Sporadic E, US Department of Commerce, National Bureau of Standards, Circular 582

⁵E. K. Smith Jr., 1962, The Occurrence of Sporadic E, Chapter 1 in Ionospheric Sporadic E, E. K. Smith and S. Matsushita editors, The Macmillan Company, New York

⁶V. L. Peterson, 1980, Ionospheric Irregularities, TR-80-005, Centennial Sciences, Inc., Colorado Springs, CO

TABLE 1. RADIO WAVE REFLECTION PROPERTIES FOR THE UNDISTURBED IONOSPHERE

	D Region	E Region	F ₁ Region	F ₂ Region
Altitude (km)	60-90	90-150	150-200	>200
Electron density range (cm ⁻³)				
day	~10 ³ - 10 ⁴	5 x 10 ⁴ - 3 x 10 ⁵	10 ⁵ - 10 ⁶	5 x 10 ⁵ - 5 x 10 ⁶
night	<10 ² - 10 ³	<5 x 10 ³	<10 ⁴	<5 x 10 ⁵
Frequencies reflected (upper limit*; MHz)				
day	no reflection, absorption below 1-2 MHz	2-5 MHz	3-9 MHz	6-20 MHz
night	no reflection no absorption	effectively no reflection	<1 MHz	<6 MHz
Ionospheric tilts	not applicable	generally not applicable	Tilts of 1°-2° sometimes present during day; more often present during sunrise and sunset, with larger values occurring for 1/2 hour or more.	

*For vertically incident soundings

TABLE 2. PROPERTIES OF MIDLATITUDE SPORADIC E*

Structure	<p>Patches of enhanced electron (and ion) density commonly a few hundred kilometers in horizontal extent.</p> <p>Smaller patches of higher density often embedded in larger, lower density patches.</p> <p>Vertical thickness generally 1-2 km at an altitude of 100-110 km.</p>
Origin	<p>Wind shears, probably from propagating acoustic-gravity waves.</p>
Motion	<p>Patches (not plasma) generally 50-100 m/s in all directions, a slight westward drift may be favored.</p>
Duration	<p>Several minutes to several hours.</p>
Occurrence	<p>More often in summer than winter; more frequent during day, with peak occurrence before noon and in some locations a secondary peak near sunset likely in summer.</p> <p>More frequent in lower portions of midlatitudes and most frequent off the east coast of Asia and Indonesia.</p> <p>Frequent of occurrence (i.e., detection) decreases as one moves to higher frequencies.</p>

*based on Peterson⁶

discerned by radio frequencies above 5 MHz, may be found embedded in larger, lower density patches.⁶ Both sizes of patches apparently move with similar velocities, which suggests a similar originating mechanism.

Because of the thinness of the layers, the relatively uniform horizontal layer smoothness, and the sharpness of the vertical gradients, sporadic E is often an aid in communications, providing a better reflecting surface than the F region. The principal deleterious effect of sporadic E for radio source location is the creation of multimode interference. Signals from the HF source may suffer reflections from both sporadic E and F layers, thus causing problems with the correct resolution of modes.

Traveling ionospheric disturbances have been noticed since the earliest days of radio wave propagation and were first studied extensively by Munro.^{7 8} TID are essentially an ionospheric manifestation of an entire spectrum (not necessarily continuous) of waves propagating through the atmosphere. The spectrum of TID can be placed in at least two distinct categories: large-scale and medium-scale. According to acoustic-gravity wave theory, large-scale TID are associated with a discrete spectrum of guided waves whose modes are excited only by upper atmospheric sources and whose horizontal speeds are substantially greater than the (lower atmospheric) speed of sound.² Medium scale TID are associated with a spectrum of freely propagating internal waves which can be excited by sources at any altitude and whose horizontal speeds are less than the speed of sound. As one might suspect, medium-scale TID are much more common. (For more information on waves in the atmosphere see Georges,² Yeh and Liu,⁹ Hines et al,¹⁰ and the references therein.) A third category of smaller-scale TID is most likely the extension to higher frequencies and smaller size of the medium-scale TID. The spatial size is generally below the Fresnel-zone size of ionospheric sounders, and thus smaller-scale TID have not been as well documented. Table 3 summarizes the properties of these different categories.^{2 11}

⁶V. L. Peterson, 1980, Ionospheric Irregularities, TR-80-005, Centennial Sciences, Inc., Colorado Springs, CO

⁷G. H. Munro, 1950, "Traveling Disturbances in the Ionosphere," Proc Roy Soc (London), 202:208-223

⁸G. H. Munro, 1958, "Traveling Disturbances in the F Region," Australian J Phys, 11:91:112

²T. M. Georges, 1967, Ionospheric Effects of Atmospheric Waves, ESSA-TR-IER57-ISTA-54, US Government Printing Office, Washington, DC

⁹K. C. Yeh and C. H. Liu, 1974, "Acoustic-Gravity Waves in the Upper Atmosphere," Rev Geophys Space Phys, 12:193-216

¹⁰C. O. Hines and Colleagues, 1974, The Upper Atmosphere in Motion, Geophysics Mono Series 18, American Geophysical Union, Washington, DC

¹¹N. N. Rao, 1981, Ionospheric Irregularities in HF Radio Source Location, Technical Report, D. O. 1684, TCN-80-304, Battelle Columbus Laboratories, Research Triangle Park, NC

TABLE 3. TRAVELING IONOSPHERIC DISTURBANCE*

Type of Disturbance	Wavelength and Structure	Motion	Period	Frequency of Occurrence	Source
Large scale	>1000 km horizontal wavelength	>300 m/s north to south	30 min - 3 h; usually 1-3 cycles	Infrequent, less than daily	Events in the auroral zone
	Wave front width on order of 1000 km				Strong correlation with magnetic activity
	Phase fronts tilted nearly horizontal Retains shapes over thousands of kilometers				
Medium scale	Tens to hundreds kilometers horizontal wavelength	100-250 m/s variable directions, with seasonal trends	10-100 min; several cycles or as trains	Daily, more common in daytime	Tropospheric phenomena
	Wave front width hundreds to over 1000 km				Upper atmospheric and polar winter sources
	Phase fronts tilted 30°-60° from vertical Do not retain shapes well over distances >100 km; energy does propagate globally				
Smaller scale	<10 km horizontal wavelength Structure not well resolved	100-250 m/s (est); variable directions	<10 min; long trains to families as wavelength decreases	Daily	Probably tropospheric; not well established

*based on Smith⁵ and Peterson⁶

Again, the main effects of TID are to cause errors in the angle of arrival, measured as the azimuthal and elevation angles, and the virtual height of reflection. Table 4 gives the magnitude of the errors in position location which the ionosphere can cause for selected ranges. A quick "rule of thumb" seems to be 10 to 20 km or 10 percent of range, whichever is worse.

SPATIAL AND TEMPORAL COHERENCE OF IONOSPHERIC IRREGULARITIES

The basic question which needs to be answered can be stated as follows: "If the structure of the ionosphere can be determined at one point, over what spatial ranges can that information be transferred, and for what time period is it valid?" For the simple case of a single vertically incident ionosonde, the pertinent information would be the height of the reflecting layer and the tilt of the ionosphere. The problems encountered are shown in figures 1 and 2.

Figure 1 is a plot of the incident angle (plotted as radial distance from the origin) versus the azimuthal angle of arrival (plotted as polar angle) for the return signal of a vertically incident ionosonde. The numbers represent one sounding each minute from 11:49 to 12:39 local standard time.^{11 12} The general NW-SE pattern of a propagating wave is apparent, but so are the patterns of other smaller and differently oriented waves. This pattern is often typical for medium-scale TID which are superpositions of several frequency components. Figure 2 shows the constant plasma frequency contours (that is, variation of reflection heights) as a function of time for the passage of a large-scale TID. This large-scale wave can cause ionospheric tilts of up to 3° to 4° for short periods of time, with tilts on the order of 1° being common for an hour or more.¹³

The relevance of ionospheric data taken at one point when extrapolated out to successively larger distances may be estimated from the following example. The positions of known transmitters are estimated from received signals, and the fixing errors between calculated and known ranges are determined in two ways: first, by assuming the ionosphere is uniformly flat, and second by assuming the ionosphere is tilted, based on the ionosonde data at the receiver. The scatter plots of the fixing errors for three transmitters at successively greater distances are shown in figure 3.¹¹ The 45° line in each

¹¹N. N. Rao, 1981, Ionospheric Irregularities in HF Radio Source Location, Technical Report, D. O. 1684, TCN-80-304, Battelle Columbus Laboratories, Research Triangle Park, NC

¹²E. W. Ernst, J. D. Dyson, and N. N. Rao, 1974, HF-DF Techniques Investigation, Final Report, Volume I, ECOM-0125-F, US Army Electronic Warfare Laboratory, Fort Monmouth, NJ

¹³N. N. Rao, 1975, "A Large Scale Traveling Disturbance of Polar Origin," Planetary Space Sci, 23:381-384

TABLE 4. MAGNITUDE OF ERRORS IN POSITION LOCATION ACCURACY DUE
TO ERRORS IN ANGLE OF ARRIVAL FOR E AND F REGION LAYERS

Range (Actual) Height of Reflecting Layer	200 km		300 km	
	105 km	250 km	105 km	250 km
Range Error (km) for:				
1° elevation angle uncertainty	6.9	9.8	10.9	11.5
3° elevation angle uncertainty	20.6	29.3	32.7	34.4
Cross-Range Error (km) for:				
1° azimuthal angle uncertainty	3.5	3.5	5.2	5.2
3° azimuthal angle uncertainty	10.5	10.5	15.6	15.6
Range Error (km) for:				
10 km height uncertainty	19.4	7.7	27.6	11.5




Figure 1. Incident angle, plotted as radial distance from the origin, versus azimuthal angle, plotted as the polar angle, for the return signal of a vertically incident ionosonde over a 50-minute interval (based on Ernest et al¹²).




Figure 2. The altitude of the constant plasma frequency contour (i.e., signal reflection heights) versus time for a large-scale TID (based on Rao¹¹).




Figure 3. The scatter plots of the radio source location errors using two ionospheric models for three transmitters at successively greater distances (based on Rao¹¹).

plot corresponds to the condition of equal errors from the two models. Thus points above the line correspond to smaller "tilted ionosphere" fixing errors, while points below the 45° line correspond to smaller "untilted" fixing errors. For the case where the actual range is 30 km, use of the tilted ionosphere model (that is, "extrapolating" the ionosonde data out to a point 15 km away) produces noticeably smaller fixing errors. The same is true when the range is extended to 70 km (that is, ionosonde data are extrapolated to a point 35 km away), although to a somewhat lesser extent. However, when the range is extended to 170 km (ionosonde data must be extrapolated 85 km), there is no advantage to using the tilted ionosphere model over the untilted one. Thus, in this example, extending ionospheric data from one point to another for distances of more than 50 to 100 km does not seem to be of any advantage.

Similar conclusions have been reached by measuring the angles of arrival of HF signals from a series of geographically spaced transmitters. Assuming a one-hop propagation path, some useful results were obtained by cross-correlating the angle of arrival deviations of the signals from pairs of transmitters.^{11 14 15} A maximum in the cross-correlation function means that the variations in the angle of arrival at one location are reproduced at the second location some time, T , later. The results indicate significant decorrelation of a persistent ionospheric pattern over distances of 50 to 100 km. This decorrelation does not mean that a single frequency component of the composite disturbance necessarily decorrelates over distances on the order of 100 km, but rather that interference between waves from different sources, or from the same source traveling different paths, can result in the observed decorrelation.

The approximate ranges of the quasi-periodic variations of several ionospheric irregularities have been listed in table 3. While there have been numerous studies pertaining to the statistics of occurrence of characteristic periods or frequencies, the subject of temporal coherence seems to have received less attention. The temporal coherence of the ionospheric waves (particularly the medium-scale TID) observed at a given location depends on the sources of the waves and the duration of the sources. In practice, many waves due to several sources or multipath propagation from a single source are probably present at any given instant of time. One can assign a decorrelation time to a group of waves which would essentially represent the time it takes the group to change form due to interference of the several components. This approach was taken

¹¹N. N. Rao, 1981, Ionospheric Irregularities in HF Radio Source Location, Technical Report, D. O. 1684, TCN-80-304, Battelle Columbus Laboratories, Research Triangle Park, NC

¹⁴E. W. Ernst, J. D. Dyson, and N. N. Rao, 1975, HF-DF Techniques Investigation, 2nd Quarterly Report, RRL Report 456, Radio Research Laboratory, University of Illinois, Urbana, IL

¹⁵K. E. Hoover, 1976, "Ionospheric Modeling for HF Radio Source Location from a Single Site," Ph.D. Thesis, University of Illinois, Urbana, IL

by Walton¹⁶ who found a predominant decorrelation time of approximately 5 minutes. The approximate range in speeds for medium-scale TID is 100 to 250 m/s. Using the decorrelation time of 5 minutes, this factor would yield a "decorrelation distance" in the range of 30 to 75 km, in good agreement with the previous estimates of spatial coherence.

Therefore, the spatial and temporal coherences of ionospheric sounding information appear to be on the order of 50 to 100 km and 5 minutes, unless sophisticated techniques of spectral analysis are employed to extract those individual waves which remain coherent over much longer distances and whose sources remain active and periodic for longer time periods.

DISCUSSION

The previous sections have outlined the types of ionospheric phenomena which are most likely to affect radio source location. The magnitude of some of the induced errors in position location accuracies and the spatial and temporal coherence of medium-scale TID have been estimated.

Most of the ionospheric irregularities considered here can be thought of as wave-like phenomena which propagate through the neutral atmosphere, with corresponding effects on the ionized component of the atmosphere. The possible exception, at least in behavior, is sporadic E, although the wind shears responsible for sporadic E may be due to gravity waves. The main effect of sporadic E is to introduce uncertainty as to which ionospheric layer, E region or F region, the signal is returning from and to provide additional opportunities for multimode reflection of signals. The concepts of spatial and temporal coherence, or decorrelation, are applicable to sporadic E only in the sense that the physical size and motion of the patch will give some estimate of how long the phenomenon is expected to persist at any one given point.

Ionospheric tilts and traveling ionospheric disturbances produce the major problems in radio source location by introducing error in the angle of arrival and uncertainties in the height of the reflecting layer. Multiple reflections from wave-like or corrugated layers also produce multimode interference. The ionosphere tilts due to solar influence; and the large-scale TID show good spatial and temporal coherence, maintaining their shapes over long distances and for times on the order of an hour or more. Superimposed on these more regular waves are the spectra of medium-scale and smaller-scale TID which are the most frequently occurring ionospheric irregularities and the ones showing the least spatial and temporal coherence. While single frequency components of medium-scale TID may persist for longer distances and periods of time, the composite TID seems to decorrelate over distances of 50 to 100 km and times of 5 minutes. Table 5 provides a summary of this group of properties of the various ionospheric structures.

¹⁶Walton, E. K., 1971, "An Investigation of Directional Deviations of Steeply Downcoming HF Radio Waves Due to Traveling Ionospheric Disturbances," Ph.D. Thesis, University of Illinois, Urbana, IL

TABLE 5. DECORRELATION PROPERTIES OF IONOSPHERIC STRUCTURE

Type	Spatial Decorrelation	Temporal Decorrelation	Major Effects
Multiple layers (E, F ₁ , F ₂)	Thousands of kilometers	Hour or longer	Uncertainty in height of reflecting layer Multimode propagation
Ionospheric tilt (solar effect)	Hundreds to thousands of kilometers	30 minutes or longer	Uncertainty in angle of arrival and height of reflecting layer
Sporadic E	~hundreds of kilometers depending on the size of the patch	Minutes to hours, depending on relative location of patch and its drift velocity	Uncertainty in height of reflecting layer Multimode propagation
Large-scale TID	Thousands of kilometers	30 minutes to several hours	Uncertainty in angle of arrival and height of reflecting layer Multimode propagation
Medium-scale TID	50 to 100 kilometers	~5 minutes	Uncertainty in angle of arrival and height of reflecting layer Multimode propagation

The emphasis of this report has been implicitly directed toward the concept of a single-station locator using a single, vertically incident ionospheric sounder. One basic constraint in radio source location is that the reflection point of the intercepted HF signal is some distance from the receiving site. For a spatially and temporally uniform, or at least slowly varying, ionosphere this constraint would present no problem. In reality, however, ionospheric irregularities reduce the usefulness of information gathered at one point when transferred to another point. Medium-scale TID seem to place the severest limitations on extrapolation of state of the ionosphere information. The basic space and time decorrelation parameters have been listed above.

If the concept of the single-station locator is retained, then the inherent problem of errors due to the ionospheric propagation path may be approached by either living within the constraints of the single point sounding or expanding the ionosonde network. Four options will be explored: (1) limit the use of the system to live within the current constraint of a single, overhead sounding; (2) place the ionosonde at the anticipated midpoint of the propagation path; (3) resolve the various frequency components of the ionospheric disturbance; and (4) employ an integrated network of ionosondes.

The first option recognizes the basic constraints of the available ionospheric data and limits the use of a single-station locator to within these constraints. This option implies that the system would be of essentially strategic use but would have the advantage of being essentially self-contained and capable of being fielded well behind the forward battle area. The inherent position location errors would be on the order of 10 percent of range.

The second option attempts to gather ionospheric data where it would be most useful, near the anticipated ionospheric reflection point. This option implies a preselection of range and direction over which radio source location will be attempted so that the system and the sounder can be optimally positioned. Thus additional constraints on system use have been imposed, not the least of which is the transfer of data from the ionosonde to the receiving station. Once the step of moving the ionosonde has been taken, it is a natural extension to consider using several ionosondes.

A basically analytic approach to the problem of decorrelation of ionospheric data would be to resolve the various frequency components of the medium-scale TID. The individual components apparently maintain their coherence and propagate over distances and times longer than 50 to 100 km and 5 minutes. While this approach is conceptually straightforward, it is not clear how much ionospheric data would be needed as input. It would appear, however, that data from several ionosondes would be needed. The additional data correlation and analysis effort would place very large requirements on any fielded computer system.

The fourth option employs an integrated network of ionosondes. (The potentially large data requirements for the analytic approach of the third option implicitly implied such a network also.) An integrated network of ionosondes could be used to gather sufficient ionospheric data to quantify the real-time structure of the ionosphere over a large area. The emphasis here is to simply specify the structure with sufficiently useful detail and not to attempt a

complicated analysis of ionospheric wave patterns. As an illustration, one ionosonde is placed at each corner of a square 200 km on a side as shown in figure 4. By using vertical soundings at each ionosonde and oblique soundings between each ionosonde, the researcher could determine the structure of the ionosphere (nominally reflection heights and tilts) at nine points along the perimeter and at the center of this square. Thus 78.5 percent of all the points within a slightly larger superimposed square, 300 km on a side, would be within 50 km of a sounding point and therefore within the "decorrelation distance." No point in the square would be more than 71 km from a sounding point. In this manner a relatively large area can be covered by as few as four ionosondes, provided they are integrated into a network by using both vertical and oblique soundings.

A single-station locator could be located either within the ionosonde net or to the rear of the network. A leading edge of the network could itself be positioned near the battle area. Thus radio source location could take place from the battle area itself and then to the rear of the battle area on the opposite side commensurate with the single-station locator's setback position on our side. The constraints on a system of this type are that the ionosphere should be sounded approximately every 5 minutes and that the complexity of data transfer and data handling has been greatly increased. However, the advances in computer techniques are now reducing the severity of this latter problem. The advantages are that the potential is now there to develop an HF radio source location system which is able to reduce position location errors to a few percent of range, rather than the current 10 percent.

CONCLUSION

In summary, the effects of ionospheric irregularities on radio source locations have been investigated. The findings showed that ionospheric data (tilt and virtual height of reflection) taken at one point lose their validity when extrapolated over distances of 50 to 100 km or times of more than 5 minutes. Thus ionospheric soundings should be made more frequently than 5-minute intervals. A single ionosonde is usually not sufficient to adequately represent a large enough area of the ionosphere. An integrated network of ionosondes, using both vertical and oblique soundings, is recommended.




Figure 4. Schematic of how to locate four ionosondes such that maximum ionospheric data over a large area can be gathered from both vertical and oblique sounding. I indicates the location of an ionosonde and a vertical sounding point; X indicates an oblique sounding point. The circles indicate a "decorrelation" radius of 50 km

REFERENCES

1. Rishbeth, H., and O. K. Garriot, 1969, Introduction to Ionospheric Physics, Academic Press, NY.
2. Georges, T. M., 1967, Ionospheric Effects of Atmospheric Waves, ESSA-TR-IER57-ISTA-54, US Government Printing Office, Washington, DC.
3. Fejer, B. J., and M. C. Kelley, 1980, "Ionospheric Irregularities," Rev Geophys Space Phys, 18:401-454.
4. Smith, E. K., Jr. 1957, World Wide Occurrence of Sporadic E, US Department of Commerce, National Bureau of Standards, Circular 582.
5. Smith, E. K., Jr., 1962, The Occurrence of Sporadic E, Chapter 1 in Ionospheric Sporadic E, E. K. Smith and S. Matsushita editors, The Macmillan Company, New York.
6. Peterson, V. L., 1980, Ionospheric Irregularities, TR-80-005, Centennial Sciences, Inc., Colorado Springs, CO.
7. Munro, G. H., 1950, "Traveling Disturbances in the Ionosphere," Proc Roy Soc (London), 202:208-223.
8. Munro, G. H., 1958, "Traveling Disturbances in the F Region," Australian J Phys, 11:91:112.
9. Yeh, K. C., and C. H. Liu, 1974, "Acoustic-Gravity Waves in the Upper Atmosphere," Rev Geophys Space Phys, 12:193-216.
10. Hines, C. O., and Colleagues, 1974, The Upper Atmosphere in Motion, Geophysics Mono Series 18, American Geophysical Union, Washington, DC.
11. Rao, N. N., 1981, Ionospheric Irregularities in HF Radio Source Location, Technical Report, D. O. 1684, TCN-80-304, Battelle Columbus Laboratories, Research Triangle Park, NC.
12. Ernst, E. W., J. D. Dyson, and N. N. Rao, 1974, HF-DF Techniques Investigation, Final Report, Volume I, ECOM-0125-F, US Army Electronic Warfare Laboratory, Fort Monmouth, NJ.
13. Rao, N. N., 1975, "A Large Scale Traveling Disturbance of Polar Origin," Planetary Space Sci, 23:381-384.
14. Ernst, E. W., J. D. Dyson, and N. N. Rao, 1975, HF-DF Techniques Investigation, 2nd Quarterly Report, RRL Report 456, Radio Research Laboratory, University of Illinois, Urbana, IL.
15. Hoover, K. E., 1976, "Ionospheric Modeling for HF Radio Source Location from a Single Site," Ph.D. Thesis, University of Illinois, Urbana, IL.
16. Walton, E. K., 1971, "An Investigation of Directional Deviations of Steeply Downcoming HF Radio Waves Due to Traveling Ionospheric Disturbances," Ph.D. Thesis, University of Illinois, Urbana, IL.

ELECTRO-OPTICS DISTRIBUTION LIST

Commander
US Army Aviation School
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MA (Mr. Oliver N. Heath)
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MS (Mr. Donald Wagner)
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center
ATTN: ES-83 (Otha H. Vaughan, Jr.)
Huntsville, AL 35812

NASA/Marshall Space Flight Center
Atmospheric Sciences Division
ATTN: Code ES-81 (Dr. William W. Vaughan)
Huntsville, AL 35812

Nichols Research Corporation
ATTN: Dr. Lary W. Pinkley
4040 South Memorial Parkway
Huntsville, AL 35802

John M. Hobbie
c/o Kentron International
2003 Byrd Spring Road
Huntsville, AL 35802

Mr. Ray Baker
Lockheed-Missile & Space Company
4800 Bradford Blvd
Huntsville, AL 35807

Commander
US Army Missile Command
ATTN: DRSMI-OG (Mr. Donald R. Peterson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-OGA (Dr. Bruce W. Fowler)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REL (Dr. George Emmons)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Huey F. Anderson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Maxwell W. Harper)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Gene Widenhofer)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RHC (Dr. Julius Q. Lilly)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPRD (Documents Section)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRA (Dr. Oskar Essenwanger)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RR0 (Mr. Charles Christensen)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RR0 (Dr. George A. Tanton)
Redstone Arsenal, AL 35809

Commander
US Army Communications Command
ATTN: CC-OPS-PP
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-CS (Mr. Richard G. Cundy)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-MD (Mr. Harry Wilder)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CS-C (2LT Coffman)
Fort Huachuca, AZ 85613

Commander
US Army Yuma Proving Ground
ATTN: STEYP-MSA-TL
Bldg 2105
Yuma, AZ 85364

Northrop Corporation
Electro-Mechanical Division
ATTN: Dr. Richard D. Tooley
500 East Orangethorpe Avenue
Anaheim, CA 92801

Commander
Naval Weapons Center
ATTN: Code 3918 (Dr. Alexis Shlanta)
China Lake, CA 93555

Hughes Helicopters
Army Advanced Attack Helicopter Weapons
ATTN: Mr. Charles R. Hill
Centinela and Teale Streets
Bldg 305, MS T-73A
Culter City, CA 90230

Commander
US Army Combat Developments
Experimentation Command
ATTN: ATEC-PL-M (Mr. Gary G. Love)
Fort Ord, CA 93941

SRI International
ATTN: K2060/Dr. Edward E. Uthe
333 Ravenswood Avenue
Menlo Park, CA 94025

SRI International
ATTN: Mr. J. E. Van der Laan
333 Ravenswood Avenue
Menlo Park, CA 94025

Joane May
Naval Environmental Prediction
Research Facility (NEPRF)
ATTN: Library
Monterey, CA 93940

Sylvania Systems Group,
Western Division
GTE Products Corporation
ATTN: Technical Reports Library
P.O. Box 205
Mountain View, CA 94042

Sylvania Systems Group
Western Division
GTE Products Corporation
ATTN: Mr. Lee W. Carrier
P.O. Box 188
Mountain View, CA 94042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3250-3 (R. de Violini)
Point Mugu, CA 93042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3253 (Terry E. Battalino)
Point Mugu, CA 93042

Effects Technology Inc.
ATTN: Mr. John D. Carlyle
5383 Hollister Avenue
Santa Barbara, CA 93111

Commander
Naval Ocean Systems Center
ATTN: Code 532 (Dr. Juergen Richter)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 5322 (Mr. Herbert G. Hughes)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 4473 (Tech Library)
San Diego, CA 92152

The RAND Corporation
ATTN: Ralph Huschke
1700 Main Street
Santa Monica, CA 90406

Particle Measuring Systems, Inc.
ATTN: Dr. Robert G. Knollenberg
1855 South 57th Court
Boulder, CO 80301

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: Library, R-51, Technical Reports
325 Broadway
Boulder, CO 80303

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: R45X3 (Dr. Vernon E. Derr)
Boulder, CO 80303

US Department of Commerce
National Telecommunications and
Information Administration
Institute for Telecommunication Sciences
ATTN: Code 1-3426 (Dr. Hans J. Liebe)
Boulder, CO 80303

AFATL/DLODL
Technical Library
Eglin AFB, FL 32542

Commanding Officer
Naval Training Equipment Center
ATTN: Technical Information Center
Orlando, FL 32813

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. Robert W. McMillan
Atlanta, GA 30332

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. James C. Wiltse
Atlanta, GA 30332

Commandant
US Army Infantry Center
ATTN: ATSH-CD-MS-E (Mr. Robert McKenna)
Fort Benning, GA 31805

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-CS
Fort Gordon, GA 30905

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-O.
Fort Gordon, GA 30905

USAFETAC/DNE
ATTN: Mr. Charles Glauber
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DNDP (LTC Kit G. Cottrell)
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DOOF (MAJ Robert Wright)
Scott AFB, IL 62225

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-CAA-Q (Mr. H. Kent Pickett)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Robert DeKinder, Jr.)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Mr. Kent I. Johnson)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-WE (LTC Darrell Holland)
Fort Leavenworth, KS 66027

President
USAARENBD
ATTN: AYK-AE-TA (Dr. Charles R. Leake)
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-MS
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-SD
Fort Knox, KY 40121

Aerodyne Research Inc.
ATTN: Dr. John F. Ebersole
Crosby Drive
Bedford, MA 01730

Commander
Air Force Geophysics Laboratory
ATTN: OPA (Dr. Robert W. Fenn)
Hanscom AFB, MA 01731

Commander
Air Force Geophysics Laboratory
ATTN: OPI (Dr. Robert A. McClatchey)
Hanscom AFB, MA 01731

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. T. J. Goblick, B-370
P.O. Box 73
Lexington, MA 02173

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. Michael Gruber
P.O. Box 73
Lexington, MA 02173

Raytheon Company
Equipment Division
ATTN: Dr. Charles M. Sonnenschein
430 Boston Post Road
Wayland, MA 01778

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-BLB (Mr. Richard McGee)
Aberdeen Proving Ground, MD 21005

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Dr. Edward Stuebing)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Mr. Joseph Vervier)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLY-A (Mr. Ronald Pennsyle)
Aberdeen Proving Ground, MD 21010

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-TSB-S (STINFO)
Aberdeen Proving Ground, MD 21005

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CCM (W. H. Pepper)
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CT
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-PAO (M. Singleton)
2800 Powder Mill Road
Adelphi, MD 20783

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK
(Dr. Anthony Van de Wal, Jr.)
Aberdeen Proving Ground, MD 21005

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK-T (Mr. Sidney Gerard)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Mr. Warren M. Baity)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Dr. Norman E. Pentz)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-AAM (Mr. William Smith)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-CS (Mr. Philip H. Beavers)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GB (Wilbur L. Warfield)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (Mr. Fred Campbell)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (H. Stamper)
Aberdeen Proving Grounds, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GS
(Mr. Michael Starks/Mr. Julian Chernick)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-J (Mr. James F. O'Bryon)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-LM (Mr. Robert M. Marchetti)
Aberdeen Proving Ground, MD 21005

Commander
Harry Diamond Laboratories
ATTN: Dr. William W. Carter
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM (Mr. Robert McCoskey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Robert Humphrey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Z. G. Sztankay)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Joseph Nemarich)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Air Force Systems Command
ATTN: WER (Mr. Richard F. Picanso)
Andrews AFB, MD 20334

Martin Marietta Laboratories
ATTN: Jar Mo Chen
1450 South Rolling Road
Baltimore, MD 21227

Commander
US Army Concepts Analysis Agency
ATTN: CSCA-SMC (Mr. Hal E. Hock)
8120 Woodmont Avenue
Bethesda, MD 20014

Director
National Security Agency
ATTN: R52/Dr. Douglas Woods
Fort George G. Meade, MD 20755

Chief
Intelligence Materiel Development
& Support Office
US Army Electronic Warfare Laboratory
ATTN: DELEW-I (LTC Kenneth E. Thomas)
Fort George G. Meade, MD 20755

The Johns Hopkins University
Applied Physics Laboratory
ATTN: Dr. Michael J. Lun
John Hopkins Road
Laurell, MD 20810

Dr. Stephen T. Hanley
1720 Rhodesia Avenue
Oxon Hill, MD 20022

Science Applications Inc.
ATTN: Mr. G. D. Currie
15 Research Drive
Ann Arbor, MI 48103

Science Applications Inc.
ATTN: Dr. Robert E. Turner
15 Research Drive
Ann Arbor, MI 48103

Commander
US Army Tank-Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Harry Young)
Warren, MI 48090

Commander
US Army Tank Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Wallace Mick, Jr.)
Warren, MI 48090

Dr. A. D. Belmont
Research Division
Control Data Corporation
P.O. Box 1249
Minneapolis, MN 55440

Director
US Army Engr Waterways Experiment Station
ATTN: WESEN (Mr. James Mason)
P.O. Box 631
Vicksburg, MS 39180

Dr. Jerry Davis
Department of Marine, Earth
and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27650

Commander
US Army Research Office
ATTN: DRXRO-GS (Dr. Leo Alpert)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Research Office
ATTN: DRXRO-PP (Brenda Mann)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RD (Dr. K. F. Sterrett)
Hanover, NH 03755

Commander/Director
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. George Aitken)
Hanover, NH 03755

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. Roger H. Berger)
Hanover, NH 03755

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-AC (Mr. James Greenfield)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-TSS (Bldg #59)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. Peteris Jansons)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. G. H. Waldron)
Dover, NJ 07801

Deputy Joint Project Manager
for Navy/USMC SAL GP
ATTN: DRCPM-CAWS-NV (CPT Joseph Miceli)
Dover, NJ 07801

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-I (Mr. David Longinotti)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-PE (Mr. Ben A. Di Campli)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-R-S (Mr. Donald L. Foiani)
Fort Monmouth, NJ 07703

Director
US Army Electronics Technology &
Devices Laboratory
ATTN: DELET-DD (S. Danko)
Fort Monmouth, NJ 07703

Project Manager
FIREFINDER/REMBASS
ATTN: DRCPM-FFR-TM (Mr. John M. Bialo)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

OLA, 2WS (MAC)
Holloman AFB, NM 88330
Commander
Air Force Weapons Laboratory
ATTN: AFWL/WE (MAJ John R. Elrick)
Kirtland, AFB, NM 87117

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL (Dolores Anguiano)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. Louie Dominguez)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. William J. Leach)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TGP (Mr. Roger F. Willis)
White Sands Missile Range, NM 88002

Director
Office of Missile Electronic Warfare
ATTN: DELEW-M-STO (Dr. Steven Kovel)
White Sands Missile Range, NM 88002

Office of the Test Director
Joint Services EO GW CM Test Program
ATTN: DRXDE-TD (Mr. Weldon Findley)
White Sands Missile Range, NM 88002

Commander
US Army White Sands Missile Range
ATTN: STEWS-PT-AL (Laurel B. Saunders)
White Sands Missile Range, NM 88002

Commander
US Army R&D Coordinator
US Embassy - Bonn
Box 165
APO New York 09080

Grumman Aerospace Corporation
Research Department - MS A08-35
ATTN: John E. A. Selby
Bethpage, NY 11714

Rome Air Development Center
ATTN: Documents Library
TSLO (Bette Smith)
Griffiss AFB, NY 13441

Dr. Roberto Vaglio-Laurin
Faculty of Arts and Science
Dept. of Applied Science
26-36 Stuyvesant Street
New York, NY 10003

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (Mr. Harold Geltmacher)
Wright-Patterson AFB, OH 45433

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (CPT William C. Smith)
Wright-Patterson AFB, OH 45433

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R (CPT James M. Watson)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CD-MS
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: NOAA Liaison Officer
(CDR Jeffrey G. Carlen)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
Morris Swett Library
ATTN: Reference Librarian
Fort Sill, OK 73503

Commander
Naval Air Development Center
ATTN: Code 301 (Mr. George F. Eck)
Warminster, PA 18974

The University of Texas at El Paso
Electrical Engineering Department
ATTN: Dr. Joseph H. Pierluissi
El Paso, TX 79968

Commandant
US Army Air Defense School
ATTN: ATSA-CD-SC-A (CPT Charles T. Thorn)
Fort Bliss, TX 79916

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-OP-Q (CPT Henry C. Cobb, Jr.)
Fort Hood, TX 76544

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-SCI (Dr. Darrell W. Collier)
Fort Hood, TX 76544

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-L
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-M (Mr. Paul E. Carlson)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. John Trethewey)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. William Peterson)
Dugway, UT 84022

Defense Documentation Center

ATTN: DDC-TCA
Cameron Station Bldg 5
Alexandria, VA 22314
12

Ballistic Missile Defense Program Office
ATTN: DACS-BMT (Colonel Harry F. Ennis)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Technical Information Center
ATTN: DDA-2 (Mr. James E. Shafer)
Cameron Station, Bldg 5
Alexandria, VA 22314

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCBSI-EE (Mr. Albert Giambalvo)
5001 Eisenhower Avenue
Alexandria, VA 22333

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCLDC (Mr. James Bender)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Advanced Rsch Projects Agency
ATTN: Steve Zakanyez
1400 Wilson Blvd
Arlington, VA 22209

Defense Advanced Rsch Projects Agency
ATTN: Dr. James Tegnella
1400 Wilson Blvd
Arlington, VA 22209

Institute for Defense Analyses
ATTN: Mr. Lucien M. Biberman
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Ernest Bauer
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Hans G. Wolfhard
400 Army-Navy Drive
Arlington, VA 22202

System Planning Corporation
ATTN: Mr. Daniel Friedman
1500 Wilson Boulevard
Arlington, VA 22209

System Planning Corporation
ATTN: COL Hank Shelton
1500 Wilson Boulevard
Arlington, VA 22209

US Army Intelligence & Security Command
ATTN: Edwin Speakman, Scientific Advisor
Arlington Hall Station
Arlington, VA 22212

Commander
US Army Operational Test
& Evaluation Agency
ATTN: CSTE-ED (Mr. Floyd I. Hill)
5600 Columbia Pike
Falls Church, VA 22041

Commander and Director
US Army Engineer Topographic Laboratories
ATTN: ETL-GS-A (Mr. Thomas Neidringhaus)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Rudolf G. Buser)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Robert S. Rodhe)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Joseph R. Moulton)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Luanne P. Obert)
Fort Belvoir, VA 22060

Director
US Army Night Vision
& Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Thomas W. Cassidy)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Richard J. Bergemann)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Dr. James A. Ratches)
Fort Belvoir, VA 22060

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN-M
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-F-A (Mr. Chris O'Connor, Jr.)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-IE-R (Mr. David M. Ingram)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-M-I/ATCD-M-A
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATDOC-TA (Dr. Marvin P. Pastel)
Fort Monroe, VA 23651

Department of the Air Force
OL-I, AWS
Fort Monroe, VA 23651

Department of the Air Force
HQS 5 Weather Wing (MAC)
ATTN: 5 WW/DN
Langley Air Force Base, VA 23655

Commander
US Army INSCOM/Quest Research Corporation
ATTN: Mr. Donald Wilmot
6845 Elm Street, Suite 407
McLean, VA 22101

General Research Corporation
ATTN: Dr. Ralph Zirkind
7655 Old Springhouse Road
McLean, VA 22102

Science Applications, Inc.
8400 Westpark Drive
ATTN: Dr. John E. Cockayne
McLean, VA 22102

US Army Nuclear & Chemical Agency
ATTN: MONA-WE (Dr. John A. Berberet)
7500 Backlick Road, Bldg 2073
Springfield, VA 22150

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-EA (Mr. Douglas Harkleroad)
Vint Hill Farms Station
Warrenton, VA 22186

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-OS (Dr. Royal H. Burkhardt)
Vint Hill Farms Station
Warrenton, VA 22186

Commander
US Army Cold Regions Test Center
ATTN: STECR-TD (Mr. Jerold Barger)
APO Seattle, WA 98733

HQDA (SAUS-OR/Hunter M. Woodall, Jr./
Dr. Herbert K. Fallin)
Rm 2E 614, Pentagon
Washington, DC 20301

COL Elbert W. Friday, Jr.
OUSDRE
Rm 3D 129, Pentagon
Washington, DC 20301

Defense Communications Agency
Technical Library Center
Code 222
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: Technical Library (Mrs. Betty Fox)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: RAAE (Dr. Carl Fitz)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: SPAS (Mr. Donald J. Kohler)
Washington, DC 20305

Defense Intelligence Agency
ATTN: DT/AC (LTC Robert Poplawski)
Washington, DC 20301

HQDA (DAMA-ARZ-D/Dr. Verderame)
Washington, DC 20310

HQDA (DAMI-ISP/Mr. Beck)
Washington, DC 20310

Department of the Army
Deputy Chief of Staff for
Operations and Plans
ATTN: DAMO-RQ
Washington, DC 20310

Department of the Army
Director of Telecommunications and
Command and Control
ATTN: DAMO-TCZ
Washington, DC 20310

Department of the Army
Assistant Chief of Staff for Intelligence
ATTN: DAMI-TS
Washington, DC 20310

HQDA (DAEN-RDM/Dr. de Percin)
Casimir Pulaski Building
20 Massachusetts Avenue
Room 6203
Washington, DC 20314

National Science Foundation
Division of Atmospheric Sciences
ATTN: Dr. Eugene W. Bierly
1800 G. Street, N.W.
Washington, DC 20550

Director
Naval Research Laboratory
ATTN: Code 4320 (Dr. Lothar H. Ruhnke)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6009 (Dr. John MacCallum, Jr.)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6530 (Mr. Raymond A. Patten)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6533 (Dr. James A. Dowling)
Washington, DC 20375

ATMOSPHERIC SCIENCES RESEARCH REPORTS

1. Lindberg, J. D. "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.
2. Avara, Elton P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.
3. Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.
4. Blanco, A. J., and B. F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.
5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.
6. Walters, D. L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.
7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.
8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN/TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.
9. Miers, B., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS/GOES Film Data," ECOM-5573, September 1975.
10. Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO₂ Variability," ECOM-5574, September 1975.
11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.
12. Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.
13. Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.
14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.

15. Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, NM," ECOM-5579, November 1975.
16. Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.
17. Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.
18. Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.
19. Gillespie, Patti S., R. L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO₂ Absorption of the Ho⁺³:YLF Laser at 2.05 μ m," ECOM-5583, December 1975.
20. Novlan, David J., "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.
21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.
22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.
23. Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL - An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.
24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.
25. Barnett, Kenneth M., "A Description of the Artillery Meteorological Comparisons at White Sands Missile Range, October 1974 - December 1974 ('PASS' - Prototype Artillery [Meteorological] Subsystem)," ECOM-5589, April 1976.
26. Miller, Walter B., "Preliminary Analysis of Fall-of-Shot From Project 'PASS'," ECOM-5590, April 1976.
27. Avara, Elton P., "Error Analysis of Minimum Information and Smith's Direct Methods for Inverting the Radiative Transfer Equation," ECOM-5591, April 1976.
28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the Southwestern United States," ECOM-5592, May 1976.

29. Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VTPR Observations," ECOM-5593, May 1976.
30. Miers, Bruce T., and Steve Weaver, "Applications of Meteorological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.
31. Sharenow, Moses, "Redesign and Improvement of Balloon ML-566," ECOM-5595, June 1976.
32. Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.
33. Pinnick, R. G., and E. B. Stenmark, "Response Calculations for a Commerical Light-Scattering Aerosol Counter," ECOM-5597, July 1976.
34. Mason, J., and G. B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.
35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.
36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.
37. Taylor, F., P. Mohan, P. Joseph, and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.
38. Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.
39. Duncan, Louis D., and Mary Ann Seagraves, "Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.
40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.
41. Miller, Walter, and Bernard Engebos, "A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November 1976.
42. Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 and 3.0 μ m Using a Cary 17I Spectrophotometer," ECOM-5806, November 1976.
43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption," ECOM-5807, November 1976.

44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.
45. Monahan, H. H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.
46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.
47. Low, Richard D. H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.
48. Bonner, Robert S., and R. Newton, "Application of the AN/GVS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.
49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.
50. Low, Richard D. H., and J. D. Horn, "Mesoscale Determination of Cloud-Top Height: Problems and Solutions," ECOM-5814, March 1977.
51. Duncan, Louis D., and Mary Ann Seagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.
52. Randhawa, Jagir S., M. Izquierdo, Carlos McDonald, and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Stratcom VI-A Flight," ECOM-5816, April 1977.
53. Rubio, Roberto, and Mike Izquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM-5817, May 1977.
54. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977.
55. Mitchell, J. D., R. S. Sagar, and R. O. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.
56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Johnson, "Solid-State Laser Wavelength Identification Using a Reference Absorber," ECOM-5820, June 1977.
57. Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.

58. Taylor, S. E., J. M. Davis, and J. B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.
59. Duncan, Louis D., and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.
60. Snider, D. E., D. G. Murcray, F. H. Murcray, and W. J. Williams, "Investigation of High-Altitude Enhanced Infrared Background Emissions," (U), SECRET, ECOM-5824, June 1977.
61. Dubbin, Marvin H., and Dennis Hall, "Synchronous Meteorological Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.
62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.
63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atmospheric Parameters," ECOM-5827, July 1977.
64. Duncan, Louis D., "Zenith Angle Variation of Satellite Thermal Sounder Measurements," ECOM-5828, August 1977.
65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.
66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.
67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.
68. Ethridge, G. A., and F. V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.
69. Low, Richard D. H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM-5833, December 1977.
70. Watkins, Wendell R., Kenneth O. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM-5834, December 1977.
71. Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.
72. Monahan, H. H., and R. M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL-TR-0001, January 1978.

73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL-TR-0002, March 1978.
74. Jennings, S. G., and J. B. Gillespie, "M.I.E. Theory Sensitivity Studies - The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients, Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.
75. White, Kenneth O., et al, "Water Vapor Continuum Absorption in the 3.5 μ m to 4.0 μ m Region," ASL-TR-0004, March 1978.
76. Olsen, Robert O., and Bruce W. Kennedy, "ABRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.
77. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, "Calculation of Atmospheric Composition in the High Latitude September Stratosphere," ASL-TR-0006, May 1978.
78. Watkins, Wendell R., et al, "Water Vapor Absorption Coefficients at HF Laser Wavelengths," ASL-TR-0007, May 1978.
79. Hansen, Frank V., "The Growth and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.
80. Samuel, Christine, Charles Bruce, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Site," ASL-TR-0009, June 1978.
81. Pinnick, R. G., et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on IR Extinction," ASL-TR-0010, July 1978.
82. Low, Richard D. H., Louis D. Duncan, and Richard B. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.
83. Heaps, Melvin G., "The Effect of a Solar Proton Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978.
84. Mason, James B., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.
85. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' Meteorological Application," ASL-TR-0014, September 1978.
86. Heaps, M. G., and F. E. Niles, "Modeling of Ion Chemistry of the D-Region: A Case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September 1978.

87. Jennings, S. G., and R. G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths," ASL-TR-0016, September 1978.
88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.
89. Miller, W. B., and B. F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978.
90. Gomez, Richard G., "Effectiveness Studies of the CBU-88/B Bomb, Cluster, Smoke Weapon," (U), CONFIDENTIAL ASL-TR-0019, September 1978.
91. Miller, August, Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November 1978.
92. Lindberg, James D., et al, "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979.
93. Kennedy, Bruce W., Arthur Kinghorn, and B. R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL-TR-0022, February 1979.
94. Rubio, Roberto, and Don Hoock, "Microwave Effective Earth Radius Factor Variability at Wiesbaden and Balboa," ASL-TR-0023, February 1979.
95. Low, Richard D. H., "A Theoretical Investigation of Cloud/Fog Optical Properties and Their Spectral Correlations," ASL-TR-0024, February 1979.
96. Pinnick, R. G., and H. J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026, February 1979.
98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.

100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.
102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.
103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
104. Barber, T. L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.
105. Low, Richard D. H., Louis D. Duncan, and Y. Y. Roger R. Hsiao, "Micro-physical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.
106. Rodriguez, Ruben, and William J. Vechione, "Evaluation of the Saturation Resistant Crosswind Sensor," ASL-TR-0035, July 1979.
107. Ohmstede, William D., "The Dynamics of Material Layers," ASL-TR-0036, July 1979.
108. Pinnick, R. G., S. G. Jennings, Petr Chylek, and H. J. Auvermann, "Relationships between IR Extinction Absorption, and Liquid Water Content of Fogs," ASL-TR-0037, August 1979.
109. Rodriguez, Ruben, and William J. Vechione, "Performance Evaluation of the Optical Crosswind Profiler," ASL-TR-0038, August 1979.
110. Miers, Bruce T., "Precipitation Estimation Using Satellite Data," ASL-TR-0039, September 1979.
111. Dickson, David H., and Charles M. Sonnenschein, "Helicopter Remote Wind Sensor System Description," ASL-TR-0040, September 1979.
112. Heaps, Melvin G., and Joseph M. Heimerl, "Validation of the Dairchem Code, I: Quiet Midlatitude Conditions," ASL-TR-0041, September 1979.
113. Bonner, Robert S., and William J. Lentz, "The Visioceilometer: A Portable Cloud Height and Visibility Indicator," ASL-TR-0042, October 1979.
114. Cohn, Stephen L., "The Role of Atmospheric Sulfates in Battlefield Obscurations," ASL-TR-0043, October 1979.

115. Fawbush, E. J., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF), White Sands Missile Range, New Mexico, Part I, 24 March to 8 April 1977," ASL-TR-0044, November 1979.
116. Barber, Ted L., "Short-Time Mass Variation in Natural Atmospheric Dust," ASL-TR-0045, November 1979.
117. Low, Richard D. H., "Fog Evolution in the Visible and Infrared Spectral Regions and its Meaning in Optical Modeling," ASL-TR-0046, December 1979.
118. Duncan, Louis D., et al, "The Electro-Optical Systems Atmospheric Effects Library, Volume I: Technical Documentation," ASL-TR-0047, December 1979.
119. Shirkey, R. C., et al, "Interim E-O SAEL, Volume II, Users Manual," ASL-TR-0048, December 1979.
120. Kobayashi, H. K., "Atmospheric Effects on Millimeter Radio Waves," ASL-TR-0049, January 1980.
121. Seagraves, Mary Ann, and Louis D. Duncan, "An Analysis of Transmittances Measured Through Battlefield Dust Clouds," ASL-TR-0050, February 1980.
122. Dickson, David H., and Jon E. Ottesen, "Helicopter Remote Wind Sensor Flight Test," ASL-TR-0051, February 1980.
123. Pinnick, R. G., and S. G. Jennings, "Relationships Between Radiative Properties and Mass Content of Phosphoric Acid, HC, Petroleum Oil, and Sulfuric Acid Military Smokes," ASL-TR-0052, April 1980.
124. Hinds, B. D., and J. B. Gillespie, "Optical Characterization of Atmospheric Particulates on San Nicolas Island, California," ASL-TR-0053, April 1980.
125. Miers, Bruce T., "Precipitation Estimation for Military Hydrology," ASL-TR-0054, April 1980.
126. Stenmark, Ernest B., "Objective Quality Control of Artillery Computer Meteorological Messages," ASL-TR-0055, April 1980.
127. Duncan, Louis D., and Richard D. H. Low, "Bimodal Size Distribution Models for Fogs at Meppen, Germany," ASL-TR-0056, April 1980.
128. Olsen, Robert O., and Jagir S. Randhawa, "The Influence of Atmospheric Dynamics on Ozone and Temperature Structure," ASL-TR-0057, May 1980.

129. Kennedy, Bruce W., et al, "Dusty Infrared Test-II (DIRT-II) Program," ASL-TR-0058, May 1980.
130. Heaps, Melvin G., Robert O. Olsen, Warren Berning, John Cross, and Arthur Gilcrease, "1979 Solar Eclipse, Part I - Atmospheric Sciences Laboratory Field Program Summary," ASL-TR-0059, May 1980
131. Miller, Walter B., "User's Guide for Passive Target Acquisition Program Two (PTAP-2)," ASL-TR-0060, June 1980.
132. Holt, E. H., editor, "Atmospheric Data Requirements for Battlefield Obscuration Applications," ASL-TR-0061, June 1980.
133. Shirkey, Richard C., August Miller, George H. Goedecke, and Yugal Behl, "Single Scattering Code AGAUSX: Theory, Applications, Comparisons, and Listing," ASL-TR-0062, July 1980.
134. Sojka, Brian Z., and Kenneth O. White, "Evaluation of Specialized Photoacoustic Absorption Chambers for Near-Millimeter Wave (NMMW) Propagation Measurements," ASL-TR-0063, August 1980.
135. Bruce, Charles W., Young Paul Yee, and S. G. Jennings, "In Situ Measurement of the Ratio of Aerosol Absorption to Extinction Coefficient," ASL-TR-0064, August 1980.
136. Yee, Young Paul, Charles W. Bruce, and Ralph J. Brewer, "Gaseous/Particulate Absorption Studies at WSMR using Laser Sourced Spectrophones," ASL-TR-0065, June 1980.
137. Lindberg, James D., Radon B. Loveland, Melvin Heaps, James B. Gillespie, and Andrew F. Lewis, "Battlefield Dust and Atmospheric Characterization Measurements During West German Summertime Conditions in Support of Grafenwohr Tests," ASL-TR-0066, September 1980.
138. Vechione, W. J., "Evaluation of the Environmental Instruments, Incorporated Series 200 Dual Component Wind Set," ASL-TR-0067, September 1980.
139. Bruce, C. W., Y. P. Yee, B. D. Hinds, R. G. Pinnick, R. J. Brewer, and J. Minjares, "Initial Field Measurements of Atmospheric Absorption at 9 μ m to 11 μ m Wavelengths," ASL-TR-0068, October 1980.
140. Heaps, M. G., R. O. Olsen, K. D. Baker, D. A. Burt, L. C. Howlett, L. L. Jensen, E. F. Pound, and G. D. Allred, "1979 Solar Eclipse: Part II Initial Results for Ionization Sources, Electron Density, and Minor Neutral Constituents," ASL-TR-0069, October 1980.
141. Low, Richard D. H., "One-Dimensional Cloud Microphysical Models for Central Europe and their Optical Properties," ASL-TR-0070, October 1980.

142. Duncan, Louis D., James D. Lindberg, and Radon B. Loveland, "An Empirical Model of the Vertical Structure of German Fogs," ASL-TR-0071, November 1980.
143. Duncan, Louis D., "EOSAEL 80, Volume I, Technical Documentation," ASL-TR-0072, January 1981.
144. Shirkey, R. C., and S. G. O'Brien, "EOSAEL 80, Volume II, Users Manual," ASL-TR-0073, January 1981.
145. Bruce, C. W., "Characterization of Aerosol Nonlinear Effects on a High-Power CO₂ Laser Beam," ASL-TR-0074, February 1981.
146. Duncan, Louis D., and James D. Lindberg, "Air Mass Considerations in Fog Optical Modeling," ASL-TR-0075, February 1981.
147. Kunkel, Kenneth E., "Evaluation of a Tethered Kite Anemometer," ASL-TR-0076, February 1981.
148. Kunkel, K. E., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF) White Sands Missile Range, New Mexico, August 1977 to October 1978, Part II, Optical Turbulence, Wind, Water Vapor Pressure, Temperature," ASL-TR-0077, February 1981.
149. Miers, Bruce T., "Weather Scenarios for Central Germany," ASL-TR-0078, February 1981.
150. Cogan, James L., "Sensitivity Analysis of a Mesoscale Moisture Model," ASL-TR-0079, March 1981.
151. Brewer, R. J., C. W. Bruce, and J. L. Mater, "Optoacoustic Spectroscopy of C₂H₄ at the 9 μ m and 10 μ m C¹²O₂¹⁶ Laser Wavelengths," ASL-TR-0080, March 1981.
152. Swingle, Donald M., "Reducible Errors in the Artillery Sound Ranging Solution, Part I: The Curvature Correction" (U), SECRET, ASL-TR-0081, April 1981.
153. Miller, Walter B., "The Existence and Implications of a Fundamental System of Linear Equations in Sound Ranging" (U), SECRET, ASL-TR-0082, April 1981.
154. Bruce, Dorothy, Charles W. Bruce, and Young Paul Yee, "Experimentally Determined Relationship Between Extinction and Liquid Water Content," ASL-TR-0083, April 1981.
155. Seagraves, Mary Ann, "Visible and Infrared Obscuration Effects of Ice Fog," ASL-TR-0084, May 1981.

156. Watkins, Wendell R., and Kenneth O. White, "Wedge Absorption Remote Sensor," ASL-TR-0085, May 1981.
157. Watkins, Wendell R., Kenneth O. White, and Laura J. Crow, "Turbulence Effects on Open Air Multipaths," ASL-TR-0086, May 1981.
158. Blanco, Abel J., "Extending Application of the Artillery Computer Meteorological Message," ASL-TR-0087, May 1981.
159. Heaps, M. G., D. W. Hooch, R. O. Olsen, B. F. Engebos, and R. Rubio, "High Frequency Position Location: An Assessment of Limitations and Potential Improvements," ASL-TR-0088, May 1981.
160. Watkins, Wendell R., and Kenneth O. White, "Laboratory Facility for Measurement of Hot Gaseous Plume Radiative Transfer," ASL-TR-0089, June 1981.
161. Heaps, M. G., "Dust Cloud Models: Sensitivity of Calculated Transmittances to Variations in Input Parameters," ASL-TR-0090, June 1981.
162. Seagraves, Mary Ann, "Some Optical Properties of Blowing Snow," ASL-TR-0091, June 1981.
163. Kobayashi, Herbert K., "Effect of Hail, Snow, and Melting Hydrometeors on Millimeter Radio Waves," ASL-TR-0092, July 1981.
164. Cogan, James L., "Techniques for the Computation of Wind, Ceiling, and Extinction Coefficient Using Currently Acquired RPV Data," ASL-TR-0093, July 1981.
165. Miller, Walter B., and Bernard F. Engebos, "On the Possibility of Improved Estimates for Effective Wind and Temperature," (U), SECRET, ASL-TR-0094, August 1981.
166. Heaps, Melvin G., "The Effect of Ionospheric Variability on the Accuracy of High Frequency Position Location," ASL-TR-0095, August 1981.